



Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

GCSE COMBINED SCIENCE: TRILOGY

H

Higher Tier
Chemistry Paper 1H

Monday 19 May 2025

Morning

Time allowed: 1 hour 15 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	



J U N 2 5 8 4 6 4 C 1 H 0 1

IB/M/Jun25/G4007/E8

8464/C/1H

There are no questions printed on this page

*Do not write
outside the
box*


**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



0	1
---	---

A teacher demonstrated the electrolysis of copper chloride solution.

Figure 1 shows the apparatus.



The teacher measured the mass of the negative electrode every 60 seconds.

0	1
---	---

1

Chlorine gas is given off during the electrolysis of copper chloride solution.

Chlorine gas is poisonous.

Give **one** way of reducing the risk of harm.

[1 mark]

Question 1 continues on the next page

Turn over ►



Table 1 shows the results.

Table 1

Time in seconds	Mass of negative electrode in grams
0	20.2
60	22.0
120	23.4
180	24.2
240	24.8
300	25.2
360	25.2


0 1 . 2 Plot the data from **Table 1** on **Figure 2**.

Draw a line of best fit.

The first point has been plotted for you.

[3 marks]

Figure 2



0 1 . 3 A student made the hypothesis:

‘The negative electrode will increase by a constant mass every 60 seconds.’

How do the results in **Table 1** show that the hypothesis is **not** correct?

[1 mark]

0 1 . 4 25 cm³ of the solution of copper chloride contained 5.5 g of copper chloride.

Calculate the concentration of the solution in g/dm³.

1 dm³ = 1000 cm³

[3 marks]

Concentration = _____ g/dm³

Question 1 continues on the next page

Turn over ►



0 1 . 5

The teacher also electrolysed potassium chloride solution.

Hydrogen gas was given off at the negative electrode.

Why was hydrogen gas given off?

[1 mark]

Tick (✓) **one** box.

Hydrogen is less reactive than potassium.

☐

Hydrogen has the same reactivity as potassium.

☐

Hydrogen is more reactive than potassium.

☐

9



0	2
---	---

A student investigated an exothermic reaction.

The student reacted solid calcium oxide with water to produce calcium hydroxide.

0	2	.	1
---	---	---	---

What is meant by an 'exothermic' reaction?

[1 mark]

0	2	.	2
---	---	---	---

The formula of calcium hydroxide is $\text{Ca}(\text{OH})_2$

Calculate the percentage by mass of oxygen in calcium hydroxide.

Relative atomic mass (A_r): O = 16

Relative formula mass (M_r): $\text{Ca}(\text{OH})_2 = 74$

[3 marks]

Percentage = _____ %

Question 2 continues on the next page

Turn over ►



When solid calcium oxide is added to water, the temperature of the reaction mixture changes.

Plan a method to investigate how changing the mass of calcium oxide affects the temperature change of the reaction mixture.

[6 marks]

[illegible]

Extra space _____

10



0 3

This question is about atoms, ions and elements.

0 3


. 1

Figure 3 shows the results of the alpha particle scattering experiment.

In the experiment, alpha particles were fired at gold foil.

Alpha particles are positively charged.

Figure 3



What **two** conclusions were made from the results?

[2 marks]

Tick (✓) **two** boxes.

Atoms are very small.

☐

Atoms have a charged nucleus.

☐

Electrons orbit the nucleus at specific distances.

☐

Isotopes of an element have a different number of neutrons.

☐

The mass of an atom is concentrated in the nucleus.

☐

Turn over ►



Particle **X** consists of:

- 35 protons
- 44 neutrons
- 36 electrons.

0 3 . 2 Why is particle **X** **not** an atom?

Answer in terms of subatomic particles.

[1 mark]

0 3 . 3 Which is the correct representation of particle **X**?

Use the periodic table.

[1 mark]

Tick (✓) **one** box.

${}_{35}^{79}\text{Br}^+$

☐

${}_{35}^{79}\text{Br}^-$

☐

${}_{35}^{79}\text{Se}^+$

☐

${}_{35}^{79}\text{Se}^-$

☐

Group 7 elements are known as the halogens.

0 3 . 4 **Table 2** shows the boiling points of some Group 7 elements.

Table 2

Element	Boiling point in °C
Fluorine	−188
Chlorine	−35
Bromine	59
Iodine	184

Explain the increase in the boiling points of the Group 7 elements going down the group.

[3 marks]

Question 3 continues on the next page

Turn over ►



0 3 . 5 Chlorine reacts with fluorine to form a compound with the formula ClF_3

What is the type of bonding in the compound ClF_3 ?

[1 mark]

0 3 . 6 Chlorine reacts with a solution of sodium bromide.

Complete the word equation for the reaction.

[1 mark]

chlorine + sodium bromide $\rightarrow$ _____ + _____

0 3 . 7 Explain why Group 7 elements become less reactive going down the group.

[3 marks]



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



0	4
---	---

This question is about metals.

0	4	.	1
---	---	---	---

Iron is extracted from iron oxide by reduction with carbon.

Why can iron be extracted by reduction with carbon?


Answer in terms of reactivity.

[1 mark]

Aluminium is extracted by the electrolysis of aluminium oxide.

Figure 4 shows the apparatus used to extract aluminium.

Figure 4



0	4	.	2
---	---	---	---

Explain why a mixture of aluminium oxide and cryolite is used as the electrolyte instead of only aluminium oxide.

[2 marks]

0	4	.	3
---	---	---	---

Oxygen gas is produced at the positive electrode.

Write a balanced half equation for the production of oxygen at the positive electrode.

[2 marks]




Question 4 continues on the next page

Turn over ►



Chromium is extracted by reacting chromium oxide with aluminium.

The equation for the reaction is:



0 4 . 4

Which substance in the equation is reduced?

[1 mark]

Table 3 shows the relative cost of extracting equal masses of aluminium, chromium and iron.

Table 3

Metal	Relative cost of extraction
Aluminium	2
Chromium	20
Iron	1

0 4 . 5

Give **one** reason for the difference in the cost of extracting aluminium and **iron**.

Use **Table 3**.

[1 mark]



0 4 . 6 Give **one** reason for the difference in the cost of extracting aluminium and **chromium**.

Use **Table 3**.

[1 mark]

0 4 . 7 Metals are mixed together to form alloys.

Explain why alloys are harder than pure metals.

[3 marks]

11

Turn over for the next question

Turn over ►



0 5

This question is about hydrogen chloride (HCl) and hydrogen chlorate (HOCl).

Hydrogen chloride and hydrogen chlorate both form acids when dissolved in water.

0 5 . 1

Hydrogen chloride gas dissolves in water to form hydrochloric acid.

Give the state symbols for:

- hydrogen chloride
- water
- hydrochloric acid.

[1 mark]

Hydrogen chloride _____

Water _____

Hydrochloric acid _____

0 5 . 2

A solution of hydrochloric acid has:

- a pH of 2.5
- a concentration of H^+ ions of $3.16 \times 10^{-3} \text{ mol/dm}^3$.

What is the concentration of H^+ ions in a solution of hydrochloric acid that has a pH of 3.5?


[1 mark]

Concentration = _____ mol/dm^3



0 5 . 3**Figure 5** shows the outer shells in one molecule of hydrogen chlorate (HOCl).

Complete the dot and cross diagram to show the electrons in the outer shells.

[2 marks]**Figure 5****0 5 . 4**

Hydrogen chlorate dissolves in water to form a weak acid.

Explain why a weak acid has a higher pH than a strong acid of the same concentration.

[2 marks]

Question 5 continues on the next page**Turn over ►**

0 5 . 5 Hydrogen chloride is produced in the reaction between methane and chlorine.

Figure 6 represents the equation for the reaction.

Figure 6




Table 4 shows the bond energies.

Table 4

Bond	C — H	Cl — Cl	C — Cl	H — Cl
Bond energy in kJ/mol	413	243	346	432

Calculate the overall energy change for the reaction.

[3 marks]

Overall energy change = _____ kJ/mol




0 6

Some reactions appear to involve a change in mass.

A student investigated the change in mass when solids were heated.

Figure 7 shows the apparatus.

Figure 7



The student determined the mass of the contents of the crucible at regular intervals.

0 6**. 1**

The student used a Bunsen burner instead of a water bath to heat the crucible.

Suggest **one** reason why.

[1 mark]

Question 6 continues on the next page

Turn over ►



The student planned to heat:

- 0.01 mol of magnesium
- 0.01 mol of magnesium carbonate.

The equations for the reactions are:





Figure 8 shows the student's **predicted** results.

Figure 8



0 6 . 2 Look at **Figure 8**.

Explain the **two** trends for the first 3 minutes.

[4 marks]

Magnesium _____

Magnesium carbonate _____

0 6 . 3 **Figure 8** shows that both reactions are complete after 5 minutes.

Why is the final mass of the contents of the crucible the same for both reactions?

[1 mark]

Question 6 continues on the next page


Turn over ►



0 6 . 4 The student heated magnesium carbonate.

Figure 9 shows the results.

Figure 9



The student concluded:

'The difference between the predicted results and the actual results is caused by solid escaping from the crucible.'

Give **one** reason why the results show the student is **not** correct.

[1 mark]



0 6 . 5

Iron reacts with steam (H_2O) to produce an oxide of iron and hydrogen gas.

0.120 moles of iron reacts with 0.160 moles of steam.

Determine the balanced equation for the reaction.

You should determine:

- the simplest whole number mole ratio of Fe : H_2O
- the formula of the iron oxide produced.

[4 marks]

Simplest mole ratio of Fe : H_2O = _____ : _____

Formula of the iron oxide = _____

Balanced equation for the reaction:

_____ + _____ $\rightarrow$ _____ + _____

11

Turn over for the next question

Turn over ►




07

This question is about bonding and structures.


07.1

Figure 10 represents two models of sodium chloride.

Figure 10



Model A



Model B

Give **two** limitations of model **A** compared with model **B**.

[2 marks]

1 _____

2 _____

07.2

Aluminium sulfate consists of the ions:

- Al^{3+}
- SO_4^{2-}

What is the formula of aluminium sulfate?

[1 mark]



0 7 . 3 Metals have metallic bonding.

Suggest **one** reason why aluminium metal conducts electricity better than sodium metal.

[1 mark]

0 7 . 4 Silicon dioxide and the polymer poly(ethene) are solid substances.

Compare silicon dioxide with the polymer, poly(ethene).

Answer in terms of structure and bonding.

[4 marks]

Extra space _____

8

END OF QUESTIONS



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



*Do not write
outside the
box*

[illegible]

[illegible]

[illegible]

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2025 AQA and its licensors. All rights reserved.

